



**IMPACTITES 8**

Sample #	Rock type	Crater setting	Description	Origin
1	Shatter cone	Central uplift	Shatter cone in dolomite	Haughton impact structure
2	Gniess (shocked)	Crater-fill	Clast from impact melt rock	Haughton impact structure
3	Gniess (unshocked)	Outside crater	Unshocked Precambrian shield, 80 km from outside crater	Haughton impact structure
4	Impact melt rock	Proximal ejecta	Clast-poor impact melt rock	Mistastin impact structure
5	Tektite	Distal ejecta	Glassy tektite	Muong-nong tektite strewn field
6	Chalcopyrite	Crater-fill	Impact-generated mineralization from base of crater-fill impact melt sheet	Sudbury impact structure
7	Impact melt rock	Crater-fill	Clast-rich impact melt rock; matrix is carbonate melt and silicate glass, clasts are mostly carbonate	Haughton impact structure
8	Impact melt rock	Proximal ejecta	Vesicular, clast-free impact melt rock	Mistastin impact structure
9	Onaping Formation	Crater-fill	Syn-impact breccia	Sudbury impact structure
10	Impact melt rock	Proximal ejecta	Clast-rich impact melt rock; red color from hematite alteration	Ries impact structure
11	Impact melt-bearing breccia	Proximal ejecta	Polymict, melt-bearing impact breccia	Ries impact structure